Data Sheet

We make sure



AMILO Notebook Pa 3553 The perfect all-round notebook

Issue October 2008

Version (

Pages 5

The AMILO Notebook P series combines versatile performance, great technology, fascinating design and an independent lifestyle.

Key Features

Processor technology

■ AMD next-generation mobile processor technology

Operating System

■ Windows Vista® Home Premium

Innovation

- ATI Mobility RadeonTM HD 3470 Hybrid X2 graphics with 256 MB dedicated video RAM for great graphics performance
- ATI Hybrid CrossFireXTM technology enables the onboard graphics chip and the discrete graphics processor to simultaneously work together to boost 3D graphics performance

Reliability

- Spill-proof keyboard that protects your notebook against accidentally spilt liquids
 - Enough time to shut down the notebook
 - Have the liquid removed from the notebook
 - Protects your investment and your data
- Engineered in Germany means the test center in Germany tests conformity to international standards and customer-specific requirements
- A+ grade LCD panels for better picture quality

Mobility

- Standard 15.4-inch form-factor that fits in almost every bag
- Integrated draft-n Wireless LAN to go online when and wherever you want

Entertainment and multimedia

- The integrated AMILOcam with low-light technology for great video-quality even in low-light conditions and the built-in digital array microphone are perfect for Internet telephoning (VoIP) and video chats
- LCD WXGA display with BrilliantView technology for vivid colors, amazing sharpness and impressive contrast
- Enjoy your favorite Hollywood blockbuster on an external display via HDMI (with HDCP support)

More convenience thanks to

- The silent mode function that causes a noticeable reduction in fan noise
- The built-in DVD drive to store and secure data comfortably on the move







Operating system ¹ and Recovery	
Operating system	Genuine Windows Vista® Home Premium (32-bit version) or
	Genuine Windows Vista® Home Basic (32-bit version)
Fujitsu Siemens Computers Recovery Program	Backup and restore the original status of the hard disk and create system restore disks
	or individual recovery media on CD or DVD are included
Architecture	
System architecture	AMD next-generation mobile processor technology
Chipset	AMD 780G + SB700
Processors ¹	
AMD Turion™ X2 Ultra processor	ZM-80 (2.1 GHz, 2 MB L2 cache)
AND TUNOT ALL CHILD PROCESSION	ZM-82 (2.2 GHz, 2 MB L2 cache)
	ZM-84 (2.3 GHz, 2 MB L2 cache)
	ZM-86 (2.4 GHz, 2 MB L2 cache)
AMD Turion™ X2 Dual-Core processor	RM-70 (2.0 GHz, 1 MB L2 cache)
·	RM-72 (2.1 GHz, 1 MB L2 cache)
AMD Athlon™ X2 Dual-Core processor	QL-60 (1.9 GHz, 1 MB L2 cache)
	QL-62 (2.0 GHz, 1 MB L2 cache)
AMD Sempron™ processor ²	SI-40 (2.0 GHz, 512 KB L2 cache)
	SI-42 (2.1 GHz, 512 KB L2 cache)
Memory	2 SO-DIMM memory slots (no memory on board)
Memory speed	800 MHz
Memory type	DDR 2 RAM
Memory modules	1024 or 2048 MB
Max. memory size ^{1, 3}	4096 MB
Drives	
Hard disk drive	SATA
HDD type HDD size	2.5-inch
HDD speed	5400 rpm
HDD speed HDD cache	8 MB
HDD capacity ¹	160, 250 or 320 GB
	100, 200 0. 020 02
Optical disc drive ¹ (built-in)	0.77
ODD type	SATA
ODD technology	SuperMulti-format DVD burner with dual double layer (DL) support
ODD read speed	CD-ROM 24x, DVD-ROM 8x CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R 8x, DVD+RW 8x,
ODD write speed	DVD-RW 6x, DVD+R DL (8.5 GB) 4x, DVD-R DL (8.5 GB) 4x,
	DVD-RAM 5x
0 1 1	
Option ¹ :	Districts Discussion Discuss with the control of the Park Control of the Control
ODD technology	Built-in Blu-ray Disc [™] drive incl. SuperMulti-format DVD burner with dual
ODD road aroad	double layer (DL) support
ODD read speed	BD 1.6x, CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 8x, CD-RW 8x, DVD+R 8x, DVD+RW 4x, DVD-R 8x, DVD-RW 4x,
	DVD+R DL (8.5 GB) 2.4x, DVD-R DL (8.5 GB) 2x, DVD RAM 5x
Display	
Display type	BrilliantView LCD
Display size	15.4-inch
Display resolution (intern)	1280 x 800 pixels
Display resolution (extern)	1920 x 1200
Resolution type	WXGA
Reaction time	16 ms
Brightness (typ.)	200 cd/m ²
Contrast (typ.)	400 : 1 ISO 13406 3 class II
Compliance with standards	ISO 13406-2 class II

Graphics

Dedicated graphics (full name) Dedicated video memory Onboard graphics chip Shared video memory

3D Benchmark 2006

Graphic features

ATI Mobility Radeon™ HD 3470 Hybrid X2 graphics

256 MB GDDR2 ATI Radeon™ HD 3200

Up to 1920 MB supported by HyperMemory™ technology

2412 points

ATI Hybrid CrossFireX™ technology

DirectX® 10 support

Interfaces

Video 1x HDMI (1.3a), 1x VGA

Audio 1x line in, 1x microphone in, 1x line out / headphone out combined with

S/PDIF out

Network 1x LAN (RJ-45)

1x eSATA combined with USB 2.0, 2x USB 2.0, 1x IEEE1394 Data

1x ExpressCard slot (54 / 34 mm)

1x 15-in-1 card reader

SD, miniSD, MicroSD, SDHC

MS, MS-Duo

MMC, RS-MMC, MMC-Micro

MSPRO, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo M2

xD picture card

Power supply 1x DC-in

Communication

LAN (Local Area Network)

Built-in WLAN (Wireless Local Area Network)

WLAN type WLAN max. data rate

WLAN encryption For use in

10 / 100 / 1000 Mbps

draft-n 802.11b/g/n up to 300 Mbps WEP, WPA and WPA2

BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO,

PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY

Multimedia

Support of HD audio for S/PDIF output with up to 7.1 channels **Audio**

Audio chip Realtek ALC888

Speakers 2x built-in speakers (1.5 W each) Microphone Built-in digital array microphone

Subwoofer

Input device Sound volume control via function key

AMILOcam

Image sensor

Frames per second

Features

VGA webcam

30⁶

Auto focus

Automatic brightness adjustment with status LED (blue: on, red:

streaming / application on)

Low-light technology for great video-quality even in dark

surrounding

Input devices / Control buttons

Power hutton Located left of the keyboard, back-lighted

Keyboard Spill-proof keyboard with 85 keys

Touchpad Hidden touchpad, with left and right mouse button,

touchpad disable function via function key combination (Fn+F6)

Multimedia keys Located on top of the keyboard to launch the following applications:

Silent mode (reduce noise level / fan speed, by reducing the CPU performance, office applications, Internet and DVD playback are not affected)

DVD playback

Internet browser

Hot keys	The following hot keys or key combinations are available		
	■ Fn+F1 WLAN on / off		
	■ Fn+F3 Mute on / off		
	■ Fn+F4 Volume down		
	■ Fn+F5 Volume up		
	■ Fn+F6 Touchpad on / off ■ Fn+F7 AMILOcam on / off ■ Fn+F8 Brightness down ■ Fn+F9 Brightness up ■ Fn+F10 Display switch ■ Fn+F11 Silent mode		
			■ Fn+F12 Suspend
		Status indicators	The notebook has 3 status LEDs:
			Power status (& suspend)
Blue (always on): on; Blue blinking: stand by; None: off			
■ Battery charge			
	Blue (always on): full; Blue blinking: charging;		
	Red blinking: < 10% capacity		
	■ WLAN		
	Blue: on; None: off		
Security			
Supervisor and user password	Yes		
Kensington lock	Yes		
Lid switch (hidden)	Yes		
Lia official (madon)			
ACPI functions	ACPI 3.0 compliant for Vista requirement		
	■ S1 LCD off		
	■ S3 save to RAM		
	■ S4 save to disk		
	■ S5 soft off		
Power Şystem			
Battery			
Battery type ¹	Lithium-lon battery		
	6 cells, 11.1 V / 2200 mAh (cell) / 4400 mAh (pack) or		
	8 cells, 14.8 V / 2400 mAh (cell) / 4800 mAh (pack) ¹		
Battery runtime ⁸	Up to 2:50 hours (8-cell battery); up to 1:55 hours (6-cell battery)		
Battery runtime (DVD playback) ⁹	Up to 1:55 hours (8-cell battery); up to 1:30 hours (6-cell battery)		
Battery charging time (idle mode)	Up to 1:30 hours (8-cell battery); up to 1:15 hours (6-cell battery)		
Battery charging time (maximum active mode) ¹⁰	Up to 2:40 hours (8-cell battery); up to 2:00 hours (6-cell battery)		
Battery charging time (maximum active mode) 11	Up to 1:50 hours (8-cell battery); up to 1:20 hours (6-cell battery)		
Battery charging time (normal use)	Up to 1:45 hours (8-cell battery); up to 1:40 hours (6-cell battery)		
AC Adapter	Dynamic charge supported, ACPI 3.0 supported		
Wide Range AC adapter	110 - 240 V AC, 50 - 60 Hz		
Output	90 W with 20 V DC, 4.5 A		
Energy consumption			
S0 (idle mode)	21.71 W		
S0 (max. active mode) ¹²	42.69 W		
S3 (stand by / energy saving mode)	0.41 W		
S4 (hibernate)	0.01 W		
S5 (off mode)	0.01 W		
Noise emission			
Idle mode ¹³	26.6 dBA (silent mode off)		
Maximum active mode ¹⁴	33 dBA (silent mode off)		
Operating conditions			
Operating conditions Operational	5 °C to 35 °C (ambient temperature)		
Ορειαιιοπαι	10 % to 90 % relative humidity, non-condensing		
AC input	10 % to 90 % relative numidity, non-condensing 100 - 240 V, 50 - 60 Hz		
AC input	100 - 240 V, 30 - 00 HZ		
	050 v 050 v 07 5 (feers) / 40 5 (feers)		
Dimensions and weight W x D x H Weight	358 x 259 x 37.5 (front) / 43.5 (back) mm 2.95 kg ¹⁵		

Certifications	GOST (WLAN)
	CE Marking
	R&TTE (WLAN)
Warranty	Country specific terms
Operational Software	
Home office	Microsoft® Works
	Microsoft® Office Home and Student Trial
	Adobe Reader
	Windows Mail (within Vista operating system)
	Windows Calendar (within Vista operating system)
Multimedia	Nero Essentials S (CD / DVD write software)
	Vista DVD Playback Pack (DVD playback software)
	Windows Media Player (within Vista operating system)
	Option ¹
	Windows Media Center (within Windows Vista® Home Premium
	operating system)
	CyberLink Power DVD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive)
lato we of	
Internet	Microsoft® Internet Explorer Country specific Internet provider
	Country specific internet provider
Security	Norman security software solution
Accessories	
Included	AC adapter 90 W
	First Battery (6 or 8 cells battery)
Manuals	Manual (on hard disk), quick start guide, safety guide, warranty guide,
	recovery guide
Drivers	Updates downloadable at http://www.fujitsu-siemens.com

¹ Depending on exact configuration. Please check at your local retailer

¹⁵ Weight may vary depending on actual configuration.

The configuration described in this document is generic only and non-binding. For the exact configuration of your AMILO, please contact your licensed dealer.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or

Published by FSC CD PM

Company stamp

² DISCLAIMER: AMD Sempron™ processors do not support ATI hybrid CrossFireX™ technology

³ DISCLAIMER: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4096 MB RAM.

⁴ Shared video memory size may vary depending on configuration. Used video memory size depends on Microsoft® Windows Vista® memory management.

^{- 1024} MB system memory enables up to 384 MB total video memory (dedicated plus shared memory).

^{- 2048} MB system memory enables up to 896 MB total video memory (dedicated plus shared memory).

^{- 3072} MB system memory enables up to 1408 MB total video memory (dedicated plus shared memory).

⁴⁰⁹⁶ MB system memory enables up to 1920 MB total video memory (dedicated plus shared memory).

⁵ An adapter is needed for the following card formats: RS-MMC, MMC-Micro, miniSD, MicroSD, SCHC, MS-Duo, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo. M2

⁶ AMILOcam frame rate can vary significantly depending on the used software application.

⁷ DISCLAIMER: Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.

Tested with Battery Mark 4.0.1 ("power saver mode")

⁹ DVD playback tested with Vista DVD playback

¹⁰ Tested with 3DMark 2003

¹¹ DVD playback tested with Vista DVD playback

¹² Tested with 3DMark 2006

¹³ Tested with QAFE 8.01, sieve.exe and diskload.exe according to ISO 7779 and ISO 9296

¹⁴ Tested with QAFE 8.01, sieve.exe and diskload.exe according to ISO 7779 and ISO 9296